

TOSHIBA

Leading Innovation >>>

Get straight down to business



User-friendly streamlined performance.

Save time, save space and save money, with the e-STUDIO166. It's easy to discover the advantages of digital office performance and high-level cost efficiency when you converge the power of your office equipment into one easy-to-use device. Move up to digital office performance, move up to the e-STUDIO166.



e-STUDIO166

A great range of office solutions in a single, space-saving device.

The e-STUDIO166 comes standard with a convenient GDI print capability. By printing in A3 format you can produce hard copies of your spreadsheets and charts that are much easier to read.

A3 capability also makes it possible to copy double-page magazine spreads in a single, smooth action.

Toshiba's unique serial filter and sharp edge processing technologies deliver exceptional digital quality — this means your documentation will benefit from sharper text, reduced moiré and more appealing graphics.

With A3 local TWAIN scanning, large blueprints and other information can be swiftly digitized, making them much easier to protect and manage.

Embracing extremely long-life consumables and requiring minimal maintenance, the e-STUDIO166 assures stable office performance to support your long-term plans.

Featuring a large control panel and oversized buttons grouped according to function, the e-STUDIO166 is designed for absolute ease of use.



Smart design

Surprisingly small, the e-STUDIO166 combines a variety of office equipment to free up valuable space. They can even be placed on your desktop, putting them conveniently within arm's reach.

Expandable

Available expansion memory supports electronic sort functionality. Other options that add to workflow efficiency include paper capacity up to 600 sheets, a document feeder and more.

Environmentally friendly

Employing Toshiba's unique 100% toner recycling system, the e-STUDIO166 ensures no toner goes to waste, while the machine also complies with RoHS* requirements.

*Directive on Restriction of the use of certain Hazardous Substances



GENERAL

| | |
|---|--|
| Type | Desktop |
| Printing/Copying process | Indirect electrostatic photographic method |
| Paper input capacity (80g/m², A4) | Standard: 250 sheets (Drawer), 100 sheets (Bypass) Optional: 250 sheets (Paper Feed Unit), Standard: A3-B5 (Drawer), A3-A5R (Bypass) |
| Paper size | Standard: 64-80g/m ² (Drawer), 50-163g/m ² (Bypass) |
| Paper weight | Standard: 64-80g/m ² (Drawer), 50-163g/m ² (Bypass) |
| Memory | Page Memory: 16MB (Expandable to 80 MB) |
| Warm-up time | Approx. 25 seconds |
| Power consumption | Max. 1.6kW (220-240V) |
| Dimensions (W x D x H) & weight | 600mm x 643mm x 462.5mm, Approx. 31.8kg |

COPYING FUNCTIONS

| | |
|--------------------------------|--|
| Acceptable originals | Sheet, book, three dimensional objects |
| Available original size | Maximum A3 |
| Copy size | A3, B4, A4, A4R, A5R, FOLIO OTHER |
| Resolution | 2400 x 600dpi (with smoothing) |
| Gradation | 256 steps |
| Copying speed | 16cpm (A4) |
| Original scanning speed | 16spm (A4) |
| First copy time | 7.6 seconds |
| Multiple copying | 1 to 999 copies |
| Copy mode | Text mode, Text/Photo mode, Photo |
| Reproduction ratio | Zoom : 25-200% in 1% increments |
| Exposure control | Automatic/Manual (7 Steps) |
| Major features | Interrupt, Energy Saver, APS/AMS, Auto Job Start, Access code, Auto Cassette Change, Electronic sorting (with optional memory) |
| Paper exit | Face down/Inner exit |
| Counter | Electrical counter (indication by LED display) |

PRINTING FUNCTIONS

| | |
|--------------------------------|---|
| PDL | GDI |
| Printing speed | 16ppm |
| Print engine resolution | 300 x 300dpi/600 x 600dpi (Default 600 x 600dpi) |
| Interface | USB (High speed, Max. 480Mbps) |
| Operating system | Windows 98SE/Me/2000/XP/Server2003 (except 64bit) |

SCANNING FUNCTIONS

| | |
|---------------------------|--|
| Speed | 16spm (A4) |
| Resolution | 300 x 300dpi/600 x 600dpi (Default 300 x 300dpi) |
| Max. Scanning area | A3 |
| Driver | TWAIN |
| Interface | USB |

OPTIONS

| | |
|---|---|
| Platen Cover KA-1640PC | 551 mm x 489 mm x 40.5 mm, Approx. 1.7 kg |
| Automatic Document Feeder MR-2017 | |
| Original feed speed | 16cpm (A4) |
| Original capacity | 100 sheets |
| Original setting | Face up |
| Available original size & weight | A3-A5R, 50-127g/m ² |
| Dimensions (W x D x H) & weight | 600mm x 523mm x 135mm, Approx. 11kg |
| Paper Feed Unit MY-1027 | |
| Paper supply paper | 250 sheets |
| Available paper size & weight | A3-B5, 64-80g/m ² |
| Dimensions (W x D x H) & weight | 530mm x 577mm x 125mm, Approx. 5.0kg |
| Desk MH-1640 | |
| Expansion Memory GC-1240 | 64MB |
| Manual Pocket KK-1660 | |



ISO 9001 and ISO 14001 Certifications

These highly acclaimed certifications are recognised worldwide as measures of top quality and environmental management excellence. They are awarded to manufacturers for facilities and practices meeting strict standards set by the Geneva based International Standardization Organization. To date, all Toshiba TEC manufacturing facilities where copiers, accessories, supplies and parts are produced have received ISO 9001 certification, while four copier sales affiliates and all Toshiba TEC manufacturing facilities have received ISO 14001 certification — even more reasons to count on Toshiba.

Microsoft, Windows®, and WindowsNT® are registered trademarks of Microsoft Corporation in the United States and/or other countries. All other brand and/or product names are trademarks of their respective owners.

Design and specifications subject to change without notice. The colour(s) of the actual product may vary from the colour(s) shown in this brochure. No part of this material may be used or reproduced in any manner whatsoever without permission. Days for function ability may differ by region. Days for function availability may differ by region.

©2007 TOSHIBA TEC CORPORATION All rights reserved.

As an ENERGY STAR® Partner TOSHIBA TEC CORPORATION has determined that this multifunction device model meets the ENERGY STAR guidelines for energy efficiency.



DISTRIBUTED BY

TOSHIBA

TOSHIBA (AUSTRALIA) Pty, Ltd.

A.C.N. 001 320 421: Building C, 12-24 Talavera Road, North Ryde, NSW 2113
Tel: (02) 9887-6000 Fax: (02) 9888-3037
New Zealand office: Lvl 1, Building 2, 666 Great South Road, Penrose, Auckland NZ
Tel: (9) 526-7700 Fax: (9) 526-7753

<http://www.eid.toshiba.com.au>

T07011D4600-TTEC